Author Index

Albertsson, A.-C., see Karlsson, S. 669(1994)97
Arriaga, E., see Figeys, D. 669(1994)205
Barbaro, A.M., see Biagi, G.L. 669(1994)246
Bartle, K.D., see Janda, *V.* 669(1994)241
Biagi, G.L., Barbaro, A.M., Sapone, A. and Recanatini, M.
Determination of lipophilicity by means of reversed-phase thin-layer chromatography. II. Influence of the organic modifier on the slope of the thin-layer chromatographic equation 669(1994)246
Blázquez, M.A., see Ferreres, F. 669(1994)268
Brinkman, U.A.Th., see Brouwer, E.R. 669(1994)45
Brouwer, E.R., Hermans, A.N.J., Lingeman, H. and Brinkman, U.A.Th.
Determination of polycyclic aromatic hydrocarbons in surface water by column liquid chromatography with fluorescence detection, using on-line micelle-mediated sample preparation 669(1994)45
Brownson, D.M., see Oh, C.-H. 669(1994)112
Brüggemann, O., see Sziele, D. 669(1994)254
Cabras, P., see Cherchi, A. 669(1994)59
Carneiro, M.C., Puignou, L. and Galceran, M.T.
Comparison of capillary electrophoresis and reversed-phase ion-pair high-performance liquid chromatography for the determination of paraquat, diquat and difenzoquat 669(1994)217
Chang, M.-Y., see Ling, Y.-C. 669(1994)119
Cherchi, A., Spanedda, L., Tuberoso, C. and Cabras, P.
Solid-phase extraction and high-performance liquid chromatographic determination of organic acids in honey 669(1994)59
Crabtree, H.J., Ireland, I.D. and Dovichi, N.J.
Effect of acetonitrile in the sampling solution on the analyte peak shape in micellar electrokinetic capillary chromatography 669(1994)263
Desbène, P.L., see Rony, C. 669(1994)195
Döring, M., see Sziele, D. 669(1994)254
Dovichi, N.J., see Crabtree, H.J. 669(1994)263
Dovichi, N.J., see Figeys, D. 669(1994)205
Ferreres, F., Blázquez, M.A., Gil, M.I. and Tomás-Barberán, F.A.
Separation of honey flavonoids by micellar electrokinetic capillary chromatography 669(1994)268
Figeys, D., Arriaga, E., Renborg, A. and Dovichi, N.J.
Use of the fluorescent intercalating dyes POPO-3, YOYO-3 and YOYO-1 for ultrasensitive detection of double-stranded DNA separated by capillary electrophoresis with hydroxypropylmethyl cellulose and non-cross-linked polyacrylamide 669(1994)205
Fréchet, J.M.J., see Wang, Q.C. 669(1994)230
Freitag, R., see Sziele, D. 669(1994)254
Galceran, M.T., see Carneiro, M.C. 669(1994)217
Garver, S., see Ruhn, P.F. 669(1994)9
Gil, M.I., see Ferreres, F. 669(1994)268
Hage, D.S., see Ruhn, P.F. 669(1994)9
Hartwick, R.A., see Landman, A. 669(1994)259
Havenga, W.J. and Rohwer, E.R.
Rapid screening of rolling mill oils using high-temperature capillary gas chromatography 669(1994)139
Hermans, A.N.J., see Brouwer, E.R. 669(1994)45
Hermans-Lokkerbol, A.C.J. and Verpoorte, R.
Development and validation of a high-performance liquid chromatography system for the analysis of hop bitter acids 669(1994)65
Huang, I.-P., see Ling, Y.-C. 669(1994)119
Ireland, I.D., see Crabtree, H.J. 669(1994)263
Jacquier, J.C., see Rony, C. 669(1994)195
Janas, J., see Voelkel, A. 669(1994)89
Janda, V., Kříž, J., Vejrosta, J. and Bartle, K.D.
Supercritical fluid extraction and chromatography of aromatic amines 669(1994)241
Kaneko, S., Mitsuzawa, T., Ohmori, S., Nakamura, M., Nobuhara, K. and Masatani, M.
Separation behaviour of silica-containing mixed oxides as column packing materials for liquid chromatography 669(1994)1
Karlsson, S., Sares, C., Renstad, R. and Albertsson, A.-C.
Gas chromatographic, liquid chromatographic and gas chromatographic–mass spectrometric identification of degradation products in accelerated aged microbial polyhydroxyalkanoates 669(1994)97
Kim, J.-H., see Oh, C.-H. 669(1994)112
Kim, K.-R., see Oh, C.-H. 669(1994)112
Konopski, L. and Pawłowska, E.
2-Trichloromethylbenzimidazole as a selective chromogenic reagent for the detection of some azoles on thin-layer plates 669(1994)275
Kříž, J., see Janda, V. 669(1994)241
Kvalheim, G., see Schneede, J. 669(1994)185
Lai, E.P.C., see Weatherell, C.J. 669(1994)31
Landman, A., Sun, P. and Hartwick, R.A.
Enhanced micellar electrokinetic capillary chromatography separations on anionic polymer-coated capillary with pH-independent electroosmotic flow 669(1994)259
Liang, W., see Liao, J. 669(1994)225
Liao, J., Liang, W. and Tu, G.
Determination of quaternary and tertiary alkaloids in *Corydalis decumbens* by reversed-phase high-performance liquid chromatography 669(1994)225
Ling, Y.-C., Chang, M.-Y. and Huang, I.-P.
Matrix solid-phase dispersion extraction and gas chromatographic screening of polychlorinated biphenyls in fish 669(1994)119
Lingeman, H., see Brouwer, E.R. 669(1994)45
Mabry, T.J., see Oh, C.-H. 669(1994)112
Masatani, M., see Kaneko, S. 669(1994)1
Matisova, E., see Sokol, J. 669(1994)75
Merfort, I., see Schmidt, T.J. 669(1994)236
Mitsuzawa, T., see Kaneko, S. 669(1994)1
Mortensen, J.H., see Schneede, J. 669(1994)185

Moskvin, L.N.
Chromatomembrane method for the continuous separation of substances 669(1994)81
Mulvihill, M.J., see Zhu, J. 669(1994)103
Nakamura, M., see Kaneko, S. 669(1994)1
Nobuhara, K., see Kaneko, S. 669(1994)1
Norstrom, R.J., see Zhu, J. 669(1994)103
Oh, C.-H., Kim, J.-H., Kim, K.-R., Brownson, D.M. and Mabry, T.J.
Simultaneous gas chromatographic analysis of non-protein and protein amino acids as N(O,S)-isobutyloxycarbonyl *tert.*-butyldimethylsilyl derivatives 669(1994)125
Ohmori, S., see Kaneko, S. 669(1994)1
Pawlowska, E., see Konopski, L. 669(1994)275
Porsch, B. and Sundelöf, L.-O.
Size-exclusion chromatography and dynamic light scattering of dextrans in water: explanation of ion-exclusion behaviour 669(1994)21
Puignou, L., see Carneiro, M.C. 669(1994)217
Recanatini, M., see Biagi, G.L. 669(1994)246
Reid, R.H.P.
Electrophoretic behaviour of a group of organic anions of biochemical interest in a functionally coherent series of buffers 669(1994)151
Renborg, A., see Figeys, D. 669(1994)205
Renstad, R., see Karlsson, S. 669(1994)97
Rohwer, E.R., see Havenga, W.J. 669(1994)139
Rony, C., Jacquier, J.C. and Desbène, P.L.
Analytical study of biomass pyrolysis oils. II. Optimization of analytical conditions for the phenolic fraction using micellar electrokinetic chromatography 669(1994)195
Ruhn, P.F., Garver, S. and Hage, D.S.
Development of dihydrazide-activated silica supports for high-performance affinity chromatography 669(1994)9
Sapone, A., see Biagi, G.L. 669(1994)246
Sares, C., see Karlsson, S. 669(1994)97
Schmidt, T.J., Merfort, I. and Willuhn, G.
Gas chromatography–mass spectrometry of flavonoid aglycones. II. Structure–retention relationships and a possibility of differentiation between isomeric 6- and 8-methoxyflavones 669(1994)236
Schneede, J., Mortensen, J.H., Kvalheim, G. and Ueland, P.M.
Capillary zone electrophoresis with laser-induced fluorescence detection for analysis of methylmalonic acid and other short-chain dicarboxylic acids derivatized with 1-pyrenyldiazomethane 669(1994)185
Schügerl, K., see Sziele, D. 669(1994)254
Sokol, J. and Matisova, E.
Determination of tetracycline antibiotics in animal tissues of food-producing animals by high-performance liquid chromatography using solid-phase extraction 669(1994)75
Spanedda, L., see Cherchi, A. 669(1994)59
Sun, P., see Landman, A. 669(1994)259
Sundelöf, L.-O., see Porsch, B. 669(1994)21
Švec, F., see Wang, Q.C. 669(1994)230
Sziele, D., Brüggemann, O., Döring, M., Freitag, R. and Schügerl, K.
Adaptation of a microdrop injector to sampling in capillary electrophoresis 669(1994)254
Tomás-Barberán, F.A., see Ferreres, F. 669(1994)268
Tu, G., see Liao, J. 669(1994)225
Tuberoso, C., see Cherchi, A. 669(1994)59
Ueland, P.M., see Schneede, J. 669(1994)185
Vejrosta, J., see Janda, V. 669(1994)241
Verpoorte, R., see Hermans-Lokkerbol, A.C.J. 669(1994)65
Voelkel, A. and Janas, J.
Inverse gas chromatographic determination of solubility parameter and binary parameters of α,ω-diamino oligoethers 669(1994)89
Wang, Q.C., Švec, F. and Fréchet, J.M.J.
Reversed-phase chromatography of small molecules and peptides on a continuous rod of macroporous poly(styrene–co-divinylbenzene) 669(1994)230
Weatherell, C.J. and Lai, E.P.C.
Factorial experimental design and principal component analysis of the interaction of animal glues with polymeric and silica-based stationary phases in size exclusion chromatography 669(1994)31
Willuhn, G., see Schmidt, T.J. 669(1994)236
Zhu, J., Mulvihill, M.J. and Norstrom, R.J.
Characterization of technical toxaphene using combined high-performance liquid chromatography–gas chromatography–electron capture negative ionization mass spectrometry techniques 669(1994)103